

INNOVATIVE OLIVE HARVESTERS



COMFORT
RELIABILITY
ECONOMY

MACHINERY

OLIVE HARVESTERS

We are proud to have the opportunity to provide you with high-quality agricultural machinery that meets your needs.



TECHNICAL ASSISTANCE

Our technical support team is here to provide you with fast and effective solutions. Whether it's installation, operation, or troubleshooting, you can rely on our technical expertise and experience.

OLIVE MACHINE mini series 13/3F

The olive harvesting machine Mini 13/3F is the smallest in its olive shaker category and the most versatile machine due to its compact size and weight.

The 13/3F model is suitable for mounting on orchard tractors from 40hp in the 3 & 4 tractor series (for custom installation).

It consists of 13 internally rotating rods. The beating system is made of polyurethane rods in 4 & 6 rows, ensuring a smooth hit on the olive without causing damage to the tree. Its movement is powered by a hydraulic system with a transmission motor.

The rods rotate using pulleys and belts. Around the rod transmission frame, branch guards are placed to prevent contact with the drive belts. In case the rods collide with the trunk, rotation and remote sensing automatically stop to avoid damage to the tree.

The specified weight of the machine is 320 kg.

Olive Harvesting Machine – Mini S Series 15/3F


The olive harvesting machine Mini S 15/3F is the second largest after the 13 in its olive shaker category, offering better performance compared to the Mini series.

The 15/3F model is suitable for mounting on orchard tractors from 50hp in the 4 tractor series (for custom installation).

It consists of 15 internally rotating rods. The beating system is made of polyurethane rods in 4 & 6 rows, ensuring a smooth hit on the olive without causing damage to the tree. Its movement is powered by a hydraulic system with a transmission motor.

The rods rotate using pulleys and belts. Around the rod transmission frame, branch guards are placed to prevent contact with the drive belts. In case the rods collide with the trunk, rotation and remote sensing automatically stop to avoid damage to the tree.

The specified weight of the machine is 355 kg.



MACHINERY

OLIVE HARVESTERS

We are proud to have the opportunity to provide you with high-quality agricultural machinery that meets your needs.



THE EXPERTS TO THE EXPERTS

As we continue to innovate in the field of agricultural machinery, we provide you not only with high-performance machines, but also with the assurance that every detail has been designed and implemented with care and expertise.

Olive Harvesting Machine – Premium 17/3F

The olive harvesting machine Premium 17/3F is the mid-sized model in its olive shaker category, with the second-best performance.

The 17/3F model is suitable for mounting on orchard tractors of 80hp and above in the 4 tractor series (for custom installation).

It consists of 17 internally rotating rods. The beating system is made of polyurethane rods in 4 & 6 rows, ensuring a smooth strike on the olive without causing damage to the tree. Its movement is powered by a hydraulic system with a transmission motor.

The rods rotate using pulleys and belts. Around the rod transmission frame, branch guards are placed to prevent contact with the drive belts. In case the rods collide with the trunk, rotation and remote sensing automatically stop to avoid damage to the tree.

The specified weight of the machine is 390 kg.

Olive Harvesting Machine – Ultra Series 22/3F

The olive harvesting machine Ultra 22/3F is the largest in its olive shaker category, delivering maximum harvesting performance thanks to the coverage achieved with each stroke.

The 22/3F model is suitable for mounting on standard tractors from 120hp in the 4 tractor series (for custom installation).

It consists of 22 internally rotating rods. The beating system is made of polyurethane rods in 4 & 6 rows, ensuring a smooth strike on the olive without causing damage to the tree. Its movement is powered by a hydraulic system with a transmission motor.

The rods rotate using pulleys and belts. Around the rod transmission frame, branch guards are placed to prevent contact with the drive belts. In case the rods collide with the trunk, rotation and remote sensing automatically stop to avoid damage to the tree.

The specified weight of the machine is 430 kg.



INSTALLATION SERVICES

We offer machine installation based on your requirements

Front hydraulics

Reinforced stitching to prevent distortions from high-strength steel.

180° machine rotation with arc curvature machine lifting tower with the ability to lift up to 6m, with the tilt of the radar the lifting changes and adds additional height.

Tractor / Loader Bucket

Machine body with clamps. Machine rotation 180°, the lifting of the machine & the negative boom degrees are determined by the function of the bucket.

It provides us with great flexibility due to the reduced weight of the machine!

*(Innovation & Pioneering)

Custom mounting on the tractor frame

In our custom installation, maximum reliability is ensured thanks to vibration absorption through the tractor's frame, reinforced by fastening from the rear chassis to the front part of the tractor. This provides both reliability and flexibility.


The machine features 180° rotation with a lifting tower of curved arc design, offering a lifting capacity of up to 6 m. With the hydraulic cylinder for negative-angle control, it allows operation at heights exceeding 6 m. Easy and quick mounting and dismounting of the machine is achieved with the support bases.
(The lifting of the machine is determined by the tractor in accordance with European Union regulations.)

Our team consists of experienced technicians and engineers who have a deep understanding of the requirements of your machinery. Every component we install is carefully selected and adapted to your needs, with a focus on enhancing performance, durability, and reliability.

We fully understand that every machine is unique and has its own requirements. That's why we approach each component installation project with individual attention and specialized expertise, ensuring results that exceed your expectations.

Our expertise goes beyond the technical aspect—it is also our commitment to creating machines exactly as you envisioned them. We stand by your side throughout the entire process, from design to final installation, to guarantee the perfect outcome you desire.

Thank you for your trust. If you have any questions or require further information, please do not hesitate to contact us. We look forward to seeing the results of our specialized installation in action.



FACILITIES & EQUIPMENT

Equipped with the necessary machinery and cutting-edge software, we are able to meet all your needs in sheet metal cutting and forming processes, regardless of dimensions or the desired final shape.

CERTAIN SUCCESS

Our dedication to innovation and excellence has made us pioneers in the agricultural machinery industry. Every product that leaves our facilities is the result of months of research, development and testing, ensuring the highest performance and reliability.



We fully understand the role that agricultural machinery plays in the success of your agricultural operations. We are dedicated to providing not only products, but also solutions that will help you achieve your goals with efficiency and reliability.

CONTACT

INDUSTRIAL AREA OF PATRA DIDACHI
KA, PATRAS INDUSTRIAL AREA 265 00



FIND US SOCIAL MEDIA



Γεωργικά Μηχάνηματα Διδάχος



didachos_georgika_mhxanhmata



didachos_agriculture